



PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
AMT	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Hardballer	5.00"					53				53								53							
Beretta	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92/96 Vertec M9A1	4.70"									49								73	73			73	73	73	73
92/96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70"									49						73						73	73	73	73
92 Brigadier D	4.90"																73								
92 Brigadier FS	4.90"									53							73	73							
92 Brigadier	4.90"									49							73		73						
92 D	4.90"									53		450	73	73	73		73		173	73	73	73	73	73	73
92 DM	4.30"									53			73				73		173						
92 DS	4.90"									53			73			73		173							
92 F	4.90"									53		450	73	73	73		73		73	73	73	73	73	73	73
92 FC	4.30"									51			73				73		73						
92 FCM	4.30"									51			73				73		73						
92 FS	4.90"									53		450	73	73	73		73		73	73	73	73	73	73	73
92 FS Centurion	4.30"									51		450	73				73		73		73	73	73	73	73
92 G	4.90"									53			73				73	73							
96	4.90"									53		450	73				73		173						
96 Brigadier D	4.90"									53							73		173						
96 Brigadier G	4.90"									53							73		73						
96 Brigadier	4.90"																73		73						
96 Centurion	4.30"									51			73				73		73						
96 D	4.90"									53			73				73		173	73					
96 DC	4.30"									51			73				73		173						
96 DS	4.90"									53			73				73		173						
96 DS Brigadier D	4.90"									53							73		173						
96 F 96 FS	4.90"																73		73						
96 G	4.90"									53			73				73	73							
96 G SD	4.90"																73		73						
Cougar 8000, 8040 Cougar D DAO	3.60"									54									171						
Cougar 8000, 8040 Cougar F, D	3.60"									54									71						
Cougar 8045 F	3.60"																		71						
Cougar 8357	3.60"																								
PX4 Storm 9mm & .40 DAO Only	4.00"														181					181					
PX4 Storm 9mm & .40 DASA Only	4.00"					77				744						180			180	180					
PX4 Storm .45ACP	4.00"														185				185	185					
APX 9/40	4.25"											750							673	673					
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92 F w/ITI mount Streamlight M3 / M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.90"																	7321							
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"																	736							
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"																	73421							
92, Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"																	736							
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"																	7346							
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"																	73421							
PX4 Storm with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"																	18021							
APX 9/40 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"																							6732	
Browning	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
BDM 9mm	4.73"									53															76
High Power 9mm	4.66"									53								76							76
Hi Power 9mm (Canadian Version)	4.60"																	376							76
Canik	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
TP9SF	4.46									83		83													
TP9SF Elite	4.19									83		83													

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
21SF Gen1-4 w/ STD Glock Rails	4.60"									83					383		383	383	383	383	383	383	383	383	
21SF Gen1-4 w/ Picatinny Rails	4.60"									49								383	383	383					
33, 28	3.50"					83				54			183	283	183			183	183		183				
26, 27 All Gen	3.50"	183	183			183				54	283	183	183	183	183			183	283		183			183	
29, 30, 30S All Gen	3.78"									83	283	183	483	483	483	483			483	483	483	483	483	483	
30S	3.77"									83	283	183			485				485	485	483	483	483	483	
30SF	3.77"														483					483					
34 All Gen	5.32"									49		683													
34, 35 Gen1-4	5.32"														683			683		683					
36	3.75"									54					283			283							
37	4.50"									49		83			783			783	783	783					
38	4.00"									83	283	283			783				783	783					
39	3.38"									744	283	183			883					883					
41 Gen4	5.31"									49		683													
42	3.25"				894	894											894							895	
43, 43X	3.39"	895	895			895					895	895					895							895	
48	4.17"									54															
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
17, 22, 31 All Gen w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"								832		832				832	832									832
17, 22 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc	4.50"																						8327	8327	8327
17, 22 All Gen w/ Surefire X200, X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																						8302	8302	8302
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																			8301					
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"																	8314							
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"								8324																
17, 22 Gen1-4 w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XT1 Procyon	4.50"															8312									
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"															8310			8310	8310					
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"																	836							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"																	8312							
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"															8312		8312							
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																	8321	8321						
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"																	8341							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"																	9832							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																	98310							
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"								2832		2832				2832				2832	2832	2832	2832	2832	2832	
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc	4.00"																				28327	28327	28327	28327	
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																	28301							
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																	8321	28321						
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"								28324																
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"										2832					832		2830							
19, 23 Gen1-4 with Surefire X300	4.00"										2832					832									
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																	28310							

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"														3832						3832	3832	3832	3832	3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc	4.60"																					38327	38327	38327	38327
20, 21 Gen1-4 w/ STD Glock Rails, w/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.60"															3832									
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"															38321									
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U	4.60"														3832	3832			3832	3832					
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"															3832		3830							
20, 21 Gen1-4 w/ STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"																		38321						
20, 20C, 21, 21C Gen1-4 w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"																		38321						
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"																			938321					
29, 30 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc	3.78"																					48327	48327	48327	48327
34 All Gen	5.32"																		6832						
34, 35 Gen1-4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, SureFire X200, X300, or X300U	5.32"														6832	6832				6832	832	832	832	832	832
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"															6832		6832							
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"															68321		68321							
34, 35 Gen1-4 with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	5.32"															68321									
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"														7832	6832			7832	7832					
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"																	7832							
41 Gen4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"																		8932		832	832	832	832	832
43 with TLR-6	3.39"																			89518					89518
Heckler & Koch	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P7 M8	4.10"																		82						
P7 M13	4.10"																		82						
P10	3.80"																			295					
P30 DAO	3.78"					295	391	391			283	283			295				295	295	295	295	295	295	295
P30L	4.45"														395					395	395	395	395	395	395
P2000	3.50"					295	391			744		283		97	97	97			97	97	197	197	197	197	197
P2000 European Version w/light mount frame	3.50"					295				744								97			197	197	197	197	197
P2000 European Version and US Version w/light mount frame	3.50"					295				744								97			197	197	197	197	197
US Version P2000 DAO (bobbed hammer)	3.50"					295	391			744	283	283			97					97	197	197	197	197	197
US Version P2000 DA/SA	3.50"					295	391			744	283	283									397	397	397	397	397
US Version P2000 SK DAO (bobbed hammer)	3.25"					295				744	283	283													
P2000SK	3.33"									744	283	183													
P2000	3.66"					295				744	283	283													
USP 9, 40	4.25"						391			83	283	283			91	91			93	91					
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"						391				283	283								91					

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
USP9C, 40C	3.58"						391	391		54	283	283	291	291	291			291		291	291	291	291	291	291
USP 9 Compact/P10 (Non-US Version)	3.80"						391	391							391				391		391	391	391	391	391
USP45	4.53"						391			83									93						
USP45 Compact .45ACP	3.80"						391												293						
USP40 Expert	5.20"																		96						
USP45 Expert	5.20"									49							96		96						
HK .45	4.25"									83		83				395	393		393		395				
HK .45 Compact	3.90"										283	283				295					295				
VP9	4.09"					295	391			744	283	283			593		593	593	593		593	593	593	593	593
VP40	4.09"											83													
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
USP 9, 40, 45 W/ HK ITL Light Hammer Down N/A for DA only	4.25"															932									
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"															1930		1930							
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"																	1936							
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"																		9221						
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"																		19312						
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"																		9321						
USP 9C and .40C with TLR-3	3.58"																	29116							
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"																		2910						
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"																		29111						
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"																		9321						
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"																		9711						
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.50"																								
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"																		9710						
P2000 European Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"																		9721						
H&K P30 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	3.85"								2952						2952				2952	2952					
H&K P30 with Surefire XC-1 or XC-2	3.85"								29524																
H&K P30L with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	4.45"														3952				3952	3952	3952				
P30L with ITI M3X or M6X Light	4.44"																		39512						
VP9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.09"								5932										5932						
VP9 with XC-1	4.09"																		59322						
Kahr	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
E9, K9, K40	3.50"									54															
P380	2.50"		189		189																				
PM9	3.00"				186																				
CT9	3.80"									54															
CT380	3.50"				189																				
CW9	3.00"									54															
S9	3.50"									54															
ST9	4.00"					54				54															

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
KIP45CUS	5.00"					53				53		683					53	53						53
1911	5.00"											683			53		53	53		53				53
Pro Carry 1911	4.00"													52						52				
Gold Combat RL II, Warrior (w/light rail)	5.00"									53		683							56	56				53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"														5340			5340	560					
Magnum Research	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Baby Desert Eagle II	4.00"									49														
Para Ordnance	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P12.45 LDA	3.50"									54														51
P14.45 LDA	5.00"					53				53							53	53						53
P16.40 LDA	5.00"																							53
P18.9 LDA	5.00"					53				53							53	53						53
P7.45 LDA	5.00"					53				53							53	53						53
Carry .45ACP	3.00"									54														
Companion .45ACP	3.50"									54														51
OPS 1911	3.50"									54		683												51
P13.45	4.25"					53				51														54
P14.45	5.00"					53				53							53	53						53
P16.40	5.00"					53				53							53	53						53
P18.9	5.00"					53				53							53	53						53
PRX1445	5.00"									49								56	56					53
Todd Jarrett 1911	5.00"									53					53			53	53		53			53
Ruger	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
KP89	4.50"									83														
KP89DAO	4.50"									83														
KP89DC	4.50"									83														
KP90	4.50"									49														
KP90DC	4.50"																							
KP91DAO	4.50"									49														
KP91DC	4.50"									49														
KP93	3.88"									744														
KP94	4.25"																							
KP944	4.25"																							
KP944DC, KP944DAO	4.25"																							
P345	4.00"									83														
P85	4.50"									83														
P89	4.50"									83														
P89DC	4.50"									83														
9E	4.14"										283	283												
P90.45CAL.	4.50"									49														
P90DC	4.50"																							
P91DAO	4.50"																							
P91DC	4.50"									49														
P95D, KP95D	4.25"									744														
P95DAO, KP95DAO	4.25"									744														
LC9	3.12"	184	184			184											184							184
LC9S	3.12"	184	184			184											184							184
LC380	3.12"	184	184			184																		184
LCP .380	2.75"				188	188																		
LCP .380 with Crimson Trace	2.75"				188	188																		
SR9	4.00"									54														
SR40	4.14"																							
SR45	4.50"																							
SR9C	3.38"					83				54														
SR40C	3.50"																							
SR1911	5.00"																							53
American 9mm and .40 S&W	4.20"											83												167
American .45 ACP	4.50"											683												168
Security 9	4.00"	283				283	283			83		283												
SAR Arms	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
SARK2	4.5"																							
Sig Sauer	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"		77			77				744				77	77		477	77	77	77				
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"		77							744							477							
P220R Compact	3.75"		77							744								74						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220R, P226R	4.41"		77				774	774									477								
P226R / P220R / P226 / MK25 9MM/40CAL / P227R3 .45	4.41"																							477	477
P226 DAO, P220 DAO	4.41"		77			77				83	283	450	777					77							
P226	4.41"		77								283	450													
P226 X-Five	5.00"									49															
P220R DAK, P226R DAK	4.41"		77									450	777	477	477			277	477	477					
P220R DASA, P226R DASA Spurred hammer	4.41"		77									450		477	477				477	477					
P220ST Stainless Steel P220R, P220S, P226R , P226S, P226SO with Accessory Rails	4.41"		77									450	777					77							
P224 9mm	3.50"									744															
P226R MK25	4.25"		77							49		450			477			77			477				
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77							49		450													
P226 after S/N 365426 (wide trigger guard)	4.41"		77									450													
P226R Elite	4.41"		77							49		450			477								477		
P225	3.90"					77				54	283	750		79	79	74		74	79	79					
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77							49					477		477	77	477	477					
P227R3 .45	3.78"		77							744											477	477	477	477	477
P228	3.90"		74			77				54		750	74	74	74	74		74	74	74	447	447	447	447	447
SIG P229R / P229 .40 CAL .357	3.90"		74																		447	447	447	447	447
SIG P229R DAK/ P229R E2 9MM	3.90"		74																		474	474	474	474	474
P229	3.90"		74			77				54		750	74	74	74	74		74	74	74					
P229 Elite	3.90"		74			77				54		750		74											
P229 R E2	3.90"											750													
P229R DASA spurred hammer w/ light rails	3.90"						744			744			744	744	744	744		74	744	744					
P229R DAK bobbed hammer w/ light rails	3.90"						744			744		750	744	744	744	744		174	744	744					
P230	3.62"																								
P239 (will only fit 9mm as of manufactured date 4603)	3.63"									54			75												
P239 .40 & .357	3.63"		75							54			75		754			75			754				
P239 9mm	3.63"														75										
P239 .40	3.63"																								
P245	3.90"									83															
P250 Full Size 9mm, .40, .45	4.70"						450								450				450	450	450	450	450	450	450
P320 9mm, .40	4.70"	450					450			49		450			450		450		450	450	450	450	450	450	450
P320 X-Full or X-Vtac	4.70"																				450	450	450	450	450
P320 .45 ACP	4.50"																					451	451	451	451
P250 Compact 9mm, .40	3.88"	750					750			49					750			750	750	750	750	750	750	750	750
P320C (Carry and Compact) 9mm, .40	3.90"	750					750			744		750			750		750	750	750	750	750	750	750	750	750
P320SCR 9mm	3.50"									744		750							750	750	750	750	750	750	750
P320SC (No Rails) 9mm	3.50"									744		750							750	750	750	750	750	750	750
P320C (Compact and Carry) .45 ACP	3.90"																				751	751	751	751	751
P320 X-Carry	3.90"																				752	752	752	752	752
P938	3.00"				194																				
P365	3.10"				894	894																365	365	365	365
SIGPro SP2340, 2009	3.88"												78						78						
SIGPro SPC2009 - w light mount rails	3.50"									744									278						
P2022 spurred hammer	3.87"		278				278					750			278			278	278	278	278	278	278	278	278
P2022R-w standard light mount rail	3.87"		278				278					750						278			278	278	278	278	278
Sig Arms GSR Revolution 1911	5.00"											53							256						53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220R W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																					7702	7702	7702	7702
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"								7742													4772	4772	4772	4772
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"								77421																
P220R, P226R DASA/ DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.41"																								
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"															77421			27721						
Sig P220R DAK, P226R DAK with Sure-Fire X200 or X300 Light. NOTE: Retention is reduced by removal of light	4.41"																		2770						
P220, P226 w/Sure-Fire Military Series Light W113, W113C, W113D & W114, W114C, W114D NOTE: Retention is reduced by removal of light	4.41"																		778						
P220R,P220S P226S,P226SO,P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"																		77421						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"																		77412						
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"																		7740						
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"																		7712						
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"																		7712						
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"															77421			77421						
P220R & P226R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	4.41"																			7742					
P220R, P226R with MOLAD Light Laser	4.41"																		77413						
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"																		7721						
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"																		778						
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"																		7700						
P226 MK25 with X300 or X300 Ultra light	4.41"																		7740						
P226R X-Five with Surefire X200 or X300 light	5.00"																		3770						
P227 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"														7742					7742					
P227 W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																				6772	6772	6772	6772	
P228,P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"																		7421						
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"																		74421						
P229 R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails: Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"																		17421						
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"																		17412						
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	3.90"																		1740						
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"																		7440						
P229R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"														7442				7442	7442					
P229R .40 S&W W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																				4472	4472	4472	4472	
P229R 9mm W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																				4742	4742	4742	4742	
P320 9/40, X-Full, or X-Vtac with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.7"								4502												4502	4502	4502	4502	
P320 Compact and Carry 9mm and .40 S&W with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"								7502												7502	7502	7502	7502	

DUTY GEAR WILL FIT CHARTS
 Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 1/04/19

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.7"								4512													4512	4512	4512	4512
P320 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"								7512													7512	7512	7512	7512
P320 X-Carry ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																					7522	7522	7522	7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"																		2782						
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.50"																		27821						
1911 GSR w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	5.00"																		25621						
Smith & Wesson	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
39	4.00"					83				83			18												
59	4.00"					83				83			18												
410	4.00"									83															
411	4.00"									83			140												
439	4.00"					83				83			18												
457	4.00"									83															
459	4.00"					83				83			18												
469	3.50"					83				54	283	283													
639	4.00"					83				83			18												
645	5.00"									53									210						
659	4.00"					83				83			18												
669	3.50"					83				54															
908	3.50"									54															
909	4.00"									83															
910	4.00"									83															
915	4.00"									83			18												
1006	5.00"									53									210						
1026	5.00"									53									210						
1046	5.00"									53															
1066	4.25"									83															
1076	4.25"									83															
1086	4.25"									83															
2213	3.00"																								
3904	4.00"					83				83			18												
3906	4.00"					83				83			18												
3913	3.50"					83				54			20												
3913LS	3.50"					83																			
3913NL	3.50"					83																			
3913TSW, 3953TSW(with rails)	3.50"																								
3913TSW w/o light mount	3.50"									54															
3914LS	3.50"					83																			
3953	3.50"									54															
3953TSW	3.50"																								
3953TSW w/o light mount	3.50"																								
3953/3954	3.50"									54			20		320				321		320				
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"									744															
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"																								
4006	4.00"					83				83			140									141			
4013	3.50"					83				54												140			
4013TSW, 4053TSW (with rails)	3.50"																								
4013TSW w/o light mount	3.50"									54															
4026	4.00"					83				83			140												
4043	4.00"																					140			
4046	4.00"					83				83			140									140			
4053	3.50"					83				54															
4053TSW w/o light mount	3.50"									54															
4056TSW w/o light mount	3.50"									54															
4506-1	5.00"									53															

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 1/04/19

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
4506	5.00"									53									210						
4553TSW (with rails)	3.75"																								
4513TSW w/ Light Rails	3.50"									744															
4516-1 Ver.II.4516-2	3.75"					83				54															
4526	5.00"									53									210						
4536	3.75"					83				54															
4546	5.00"									53															
4553TSW w/o light mount	3.50"									54															
4556	3.75"					83				54		450													
4563TSW, 4566TSW (with rails)																									
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"																		210						
4566	4.25"									83															
4576	4.25"									83															
4586	4.25"									83									210						
5903	4.00"					83				83			18						140						
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"					83				83									140						
5904	4.00"					83				83			18						140						
5906 lgtrigrd	4.00"									83		450	18												
5906 shrtrigrd	4.00"					83				83		450	18						140						
5923	4.00"					83				83			18												
5924	4.00"					83				83			18												
5926	4.00"					83				83			18												
5943 shrtrigrd	4.00"									83			18						140						
5944 shrtrigrd	4.00"									83			18						140						
5946 lgtrigrd	4.00"					83				83			18		320						320				
5946 shrtrigrd	4.00"					83				83			18		320				140						
5946 & 5943 DAO without Rails	4.00"														320						320				
6904	3.50"					83				54			20												
6906 lgtrigrd	3.50"									54															
6906 shrtrigrd	3.50"									54			20												
6924	3.50"					83				54			20												
6926	3.50"					83				54			20												
6944 shrtrigrd	3.50"					83				54															
6946 lgtrigrd	3.50"					83				54					320						320				
6946 shrtrigrd	3.50"					83				54					320						320				
Bodyguard .380	2.75"			194	194																				
Chiefs Special CS40	3.25"									54															
Chiefs Special CS45	3.25"									54															
Chiefs Special CS9	3.00"									54															
Sigma 380	3.00"																								
Sigma 40, 9mm	4.50"									83									40						
Sigma 9C, 40C, 40V, 9V, 9E	4.00"									83									40						
Sigma SD9VE, 40VE	4.00"										283	283					40								
Sigma 9F 40F	4.50"									83	283	83							40						
SW99 9mm & .40	4.00"						391			744	283	283	84	84	84				84	84	84				
SW99 45ACP	4.25"																		86						
M&P 2.0 9 without thumb safety	4.25"	219	219			83	219	219		219	283	83		222	222		219	222	222	222	222	219	222	222	
M&P 2.0 .40 without thumb safety	4.25"	219	219			83	219	219		219	283	83		219	219		219	219	219	219	219	219	219	219	
M&P 2.0 9 with or without thumb safety	5.00"	219										683					819	819	818		818	819	818	818	
M&P 2.0 .40 with or without thumb safety	5.00"	219										683					819	819	819		819	819	819	819	
M&P 2.0 9 Compact without thumb safety	4.00"	219	219			83	219	219		219	283	83		222	222		219	222	222	222	219	222	222	222	
M&P 2.0 .40 Compact without thumb safety	4.00"	219	219			83	219	219		219	283	83		219	219		219	219	219	219	219	219	219	219	
M&P 2.0 45 without thumb safety	4.60"					83				83	283	283			419		519	419	419	419	419	419	419	419	
M&P 2.0 45 with or without thumb safety	4.60"									83	283	283			519		519	519	519	519	419	419	419	419	
M&P 22 LR	4.25"										283	83			219			219	219						
M&P 9 & 40 without thumb safety	4.25"	219	219			83	219	219		83	283	83		219	219		219	219	219	219	219	219	219	219	
M&P 9 & 40 with thumb safety	4.25"	219									283	83	619					619			219	219	219	219	
M&P 9C & 40C without thumb safety	3.38"	319	319			83	319	319		83	283	183			319		319	219	219	319					
M&P 9C & 40C with thumb safety	3.38"	319	319								283	183													
M&P 9L & 40L without thumb safety	5.00"										283	683	819									819	819	819	
M&P 9L M&P 9 Pro without thumb safety	5.00"											683					819	819	819		819	819	819	819	
M&P 9L M&P 9 Pro with thumb safety	5.00"											683					819		820						
M&P 9 Shield 1.0 and 2.0	3.10"	179	179			179				54	179	179			179					179				179	
M&P 40 Shield 1.0 and 2.0	3.10"	179	179								179	179												179	
M&P 45 Shield	3.30"										179	179												179	
M&P 45 without thumb safety	4.60"					83				83	283	283			419		519	419	419	419	419	419	419	419	
M&P 45 with or without thumb safety	4.60"									83	283	283			519		519	519	519	519	419	419	419	419	
M&P 45C without thumb safety	4.00"										283	183			919			919	919						
M&P 45C with thumb safety	4.00"										283	183			920			920	920						
1911	5.00"					53				53		683			53			53	53					53	
1911 w/Tactical Rails	5.00"									53		683			56			56	56					53	
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
4566 TSW w/light rails and ITI Streamlight M5	4.13"																		4302						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
4566TSW w/Picatinny Rails and ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"																		4302					
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"								2192										2190					
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"																		21921					
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2222				2222	2222	2222	2192	2222	2222
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2192				2192	2192	2192	2192	2192	2192
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																				8182	8182	8182	8182
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																				8192	8192	8192	8192
M&P 2.0 9 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2222				2222	2222	2222	2192	2222	2222
M&P 2.0 40 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2192				2192	2192	2192	2192	2192	2192
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192				4192	4192	4192	4192	4192	4192
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192				5192	5192	4192	4192	4192	4192
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace LaserGuard Pro or TLR-6	3.10"																							17918
M&P 9 & 40 W/ M3 or M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"																		21921					
M&P 9 & 40 w/ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2192				2192	2192	2192	2192	2192	2192
M&P 9 & 40 with XC-1	4.25"																				21922	21922	21922	21922
M&P 9 & 40 with SureFire X200, X300	4.25"								2192										2190					
M&P 9 & 40 with SureFire X400 Ultra	4.25"																		21914					
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL Surefire X200, X300, or X300U	5.00"																				8192	8192	8192	8192
M&P 45 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192				4192	4192	4192	4192	4192	4192
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"																		51921					
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192				5192	5192	4192	4192	4192	4192
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"														9192				9192	9192				
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, X300U	4.00"														9202				9202	9202				
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																		560					
Sphinx	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
SDP Standard	4.50"																		281					
SDP-S WLI-AA with laser	4.50"														28115				28115	28115				
SDP Compact	3.70"																			282				
SDP Subcompact	3.13"					285									285	285	285				285			
3000 cocked and locked or with hammer down	3.75"																		182					
3000 cocked and locked or with hammer down	4.50"									49									182					
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
3000 cocked and locked w/ITI LAM light	3.75"																		1825						
3000 cocked and locked w/ITI LAM light	4.50"																		1825						
SDP Standard w/ W400U	4.50"																								
Springfield Army	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Model1911-A1	5.00"					53				53		683			53		53	53	53	53					53
Operator1911	5.00"									53		683			56	56		56	56	56					53
XD 9mm, 40, and 45	4.00"											450													
XD MOD2 9, .40	4.00"									744		750			148		48	148	148	148					
XD 9mm, 40, 45 and .357	4.00"									744		450			148		48	148	148	148					
XD 9mm, 40, 45 and .357	5.00"									49		450			149		49	149	149	149					
XD MOD2 9mm, 40, 45 and .357	5.00"									49		450			149		49	149	149	149					
XD 9mm & .40 Subcompact	3.00"		47									750				47									
XD (M) 9mm	3.80"													148				148		148					
XD(M) 9mm & .40	4.50"						146			49		450			149		49	149	149	149					
XD(M) .40	4.50"		47				146			49		450			146	146	49	149	146	146					
XD(M) 9mm	4.50"		47				146			49		450			145	146	49	149	145	145					
XD(M) 45	4.50"									49		450					49		146						
XD(M) 45	5.25"									49		450													
XD(M) 9mm & 40	4.50"											450													
XD(M) 9mm & 40	5.25"											450					49								
XD(M) 9mm	5.25"											450					147								
XD-S	3.30"	45	45			45				895		895					45								45
XD-S	4.00"																								
XD-E	3.30"											183													
911	2.75"			188	188																				
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"																		5621						
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"																		530						
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"																		5621						
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"																		5612						
Operator 1911-A1 with Surefire X200 or X300 light	5.00"															5340		560							
XD 9mm, .40, .45 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XT1 Procyon light NOTE: Retention is reduced by removal of light	4.00"															14821		14821							
XD 40 & 45 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.00"																	1482							
XD 9mm with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.00"															14821		462							
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921		14921							
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921		1492							
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921		14921	1492						
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	4.00"																	14821							
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																	1462							
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.50"																	1452							

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
XD(M) 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																		1462					
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																		14921					
XD(M) .45 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																		1462					
Steyr	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
M40A1	4.00"									744														
STI/SVI	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 with rails	5.00"									53		683			56				56					53
1911 without rails	5.00"						53			53		683			53				53					53
2011 with Full Size Dust Cover	5.00"																		850					53
2011 with Short Dust Cover	5.00"																		851					53
2011 with Short Dust Cover	6.00"																		852					
STI Tactical	5.00"									53														53
GP6	4.25"									83									855					51
GP5 9mm	3.58"									744														
DVS 3-GUN	5.40"											683												
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"																		5340					
STI 2011 Tactical 5 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED StreamLight, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	5.00"																							
Stinger	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
S-200																			164					
Tangfolio	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Force	3.66"																		262					
Force Full Size	4.45"																		362					
Witness	4.50"										283	283												
Witness P Full Size	4.50"										283	283												
Witness P Compact	3.60"										283	183												
Taser International	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Advanced Taser M26																			63					
X26																			64					
X3																			163					
Taurus	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
24/7 w/accy rails	4.00"									83	283	283							40					
PT92, PT99C	5.00"									53						73								
PT99	5.00"									53														
PT99C	4.00"									51						73								
PT92C	4.00"									51						73								
PT100	5.00"																					175	175	175
PT840	4.00"										283	83							268					
PT809	4.00"										283	83							268					
PT845	4.00"										283	83												
PT111 G2	3.20"									54		183												
Spectrum	2.80"			188	188																			
Walther	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
PP	3.86"																							
CCP	3.54"									54	283	283												
PPK	3.27"																							
PPKS	3.27"																							
PPS	3.20"										283	183												
P5	3.50"									54									87	87				
P99	4.00"						391			54	283	283		84	84				84	84	84			
P99Q/PPQ (2008 & newer)	4.00"						391	384		54	283	283							384	384	384	384	384	384
P99, P99Q PPQ, PPO M2 9mm, .40 S&W	5.00"											683							384	384	384	384	385	385
P99Q/PPQ M2 (2008 & newer)	4.00"						391	384			283	283												385

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 1/04/19

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P99Q/PPQ M2 .45 cal	4.00"									744		750													
P99QA	4.00"										283	283							84	84					
P99C QA	3.50"										283	183		84	84				84	284		84			
P99 2008 Version	4.00"										283	283			384							384			
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.00"								3842						3842							3842			
Wilson	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 CQB w/light rail	5.00"									744															53
1911	4.88"									53							53	53							53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"																	5340	560						

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.